

Corossus	High	Mid/late	5/8	Mid/early	19	9	287	12.5	0.78	Excellent
'Emerald'	Med-High	Mid/early	9/9	Mid/late	18	9	195	11.2	0.52	Good
'Endura' [™]	Med	Mid/early	8/6	Mid/late	19		250	10.2	0.68	Good
'Farthing'	Med-Low	Mid/late	7/8	Mid/late	18	9	227	11.8	0.47	Excellent
'Indigocrisp' [™]	Low	Mid	4/6	Mid/late	18		248	11.9	0.22	Excellent
'Jewel'	High	Mid/early	7/8	Mid	17	9	180	11.1	0.47	Good
'Keecrisp' [™] *	Med	Mid/late	*/4	Mid/late	18		265	12.1	0.24	Excellent
'Kestrel' [™]	Med-High	Early	6/5	Early	17	8	204	11.9	0.66	Excellent
'Magnus' *	Med	Early	*/5	Early	18		211	10.6	0.55	
'Meadowlark' [™]	High	Early	7/8	Mid/early	18	8	252	10.6	0.34	Excellent
'Optimus' *	High	Mid/early	7/7	Mid/early	16		236	12.3	0.32	
'Patrecia' *		Mid/late	5/9	Mid/late	20		230	10.5	0.40	Medium
'Primadonna'	High	Mid/early	6/6	Early	17	8	217	12.1	0.24	Excellent
'Sentinel'	High	Early	9/9	Early	17	9	208	11.1	0.52	
'Snowchaser'	Med	Early	6/7	Very early	15	8	197	10.4	0.46	Good
'Springhigh'	High	Early	7/8	Early	17	8	200	10.2	0.45	Soft in hot weather
'Sweetcrisp'	High	Mid	3/5	Mid	17	9	276	13.8	0.40	Excellent

Corossus	High	Mid/late	5/8	Mid/early	19	9	267	12.3	0.78	Excellent
'Emerald'	Med-High	Mid/early	9/9	Mid/late	18	9	195	11.2	0.52	Good
'Endura' [™]	Med	Mid/early	8/6	Mid/late	19		250	10.2	0.68	Good
'Farthing'	Med-Low	Mid/late	7/8	Mid/late	18	9	227	11.8	0.47	Excellent
'Indigocrisp' [™]	Low	Mid	4/6	Mid/late	18		248	11.9	0.22	Excellent
'Jewel'	High	Mid/early	7/8	Mid	17	9	180	11.1	0.47	Good
'Keecrisp' [™] *	Med	Mid/late	*/4	Mid/late	18		265	12.1	0.24	Excellent
'Kestrel' [™]	Med-High	Early	6/5	Early	17	8	204	11.9	0.66	Excellent
'Magnus' *	Med	Early	*/5	Early	18		211	10.6	0.55	
'Meadowlark' [™]	High	Early	7/8	Mid/early	18	8	252	10.6	0.34	Excellent
'Optimus' *	High	Mid/early	7/7	Mid/early	16		236	12.3	0.32	
'Patrecia' *		Mid/late	5/9	Mid/late	20		230	10.5	0.40	Medium
'Primadonna'	High	Mid/early	6/6	Early	17	8	217	12.1	0.24	Excellent
'Sentinel'	High	Early	9/9	Early	17	9	208	11.1	0.52	
'Snowchaser'	Med	Early	6/7	Very early	15	8	197	10.4	0.46	Good
'Springhigh'	High	Early	7/8	Early	17	8	200	10.2	0.45	Soft in hot weather
'Sweetcrisp'	High	Mid	3/5	Mid	17	9	276	13.8	0.40	Excellent

Corossus	High	Mid/late	5/8	Mid/early	19	9	267	12.3	0.78	Excellent
'Emerald'	Med-High	Mid/early	9/9	Mid/late	18	9	195	11.2	0.52	Good
'Endura' [™]	Med	Mid/early	8/6	Mid/late	19		250	10.2	0.68	Good
'Farthing'	Med-Low	Mid/late	7/8	Mid/late	18	9	227	11.8	0.47	Excellent
'Indigocrisp' [™]	Low	Mid	4/6	Mid/late	18		248	11.9	0.22	Excellent
'Jewel'	High	Mid/early	7/8	Mid	17	9	180	11.1	0.47	Good
'Keecrisp' [™] *	Med	Mid/late	*/4	Mid/late	18		265	12.1	0.24	Excellent
'Kestrel' [™]	Med-High	Early	6/5	Early	17	8	204	11.9	0.66	Excellent
'Magnus' *	Med	Early	*/5	Early	18		211	10.6	0.55	
'Meadowlark' [™]	High	Early	7/8	Mid/early	18	8	252	10.6	0.34	Excellent
'Optimus' *	High	Mid/early	7/7	Mid/early	16		236	12.3	0.32	
'Patrecia' *		Mid/late	5/9	Mid/late	20		230	10.5	0.40	Medium
'Primadonna'	High	Mid/early	6/6	Early	17	8	217	12.1	0.24	Excellent
'Sentinel'	High	Early	9/9	Early	17	9	208	11.1	0.52	
'Snowchaser'	Med	Early	6/7	Very early	15	8	197	10.4	0.46	Good
'Springhigh'	High	Early	7/8	Early	17	8	200	10.2	0.45	Soft in hot weather
'Sweetcrisp'	High	Mid	3/5	Mid	17	9	276	13.8	0.40	Excellent

Corossus	High	Mid/late	5/8	Mid/early	19	9	267	12.5	0.78	Excellent
'Emerald'	Med-High	Mid/early	9/9	Mid/late	18	9	195	11.2	0.52	Good
'Endura' [™]	Med	Mid/early	8/6	Mid/late	19		250	10.2	0.68	Good
'Farthing'	Med-Low	Mid/late	7/8	Mid/late	18	9	227	11.8	0.47	Excellent
'Indigocrisp' [™]	Low	Mid	4/6	Mid/late	18		248	11.9	0.22	Excellent
'Jewel'	High	Mid/early	7/8	Mid	17	9	180	11.1	0.47	Good
'Keecrisp' [™] *	Med	Mid/late	*/4	Mid/late	18		265	12.1	0.24	Excellent
'Kestrel' [™]	Med-High	Early	6/5	Early	17	8	204	11.9	0.66	Excellent
'Magnus' *	Med	Early	*/5	Early	18		211	10.6	0.55	
'Meadowlark' [™]	High	Early	7/8	Mid/early	18	8	252	10.6	0.34	Excellent
'Optimus' *	High	Mid/early	7/7	Mid/early	16		236	12.3	0.32	
'Patrecia' *		Mid/late	5/9	Mid/late	20		230	10.5	0.40	Medium
'Primadonna'	High	Mid/early	6/6	Early	17	8	217	12.1	0.24	Excellent
'Sentinel'	High	Early	9/9	Early	17	9	208	11.1	0.52	
'Snowchaser'	Med	Early	6/7	Very early	15	8	197	10.4	0.46	Good
'Springhigh'	High	Early	7/8	Early	17	8	200	10.2	0.45	Soft in hot weather
'Sweetcrisp'	High	Mid	3/5	Mid	17	9	276	13.8	0.40	Excellent

Corossus	High	Mid/late	5/8	Mid/early	19	9	287	12.5	0.78	Excellent
'Emerald'	Med-High	Mid/early	9/9	Mid/late	18	9	195	11.2	0.52	Good
'Endura' [™]	Med	Mid/early	8/6	Mid/late	19		250	10.2	0.68	Good
'Farthing'	Med-Low	Mid/late	7/8	Mid/late	18	9	227	11.8	0.47	Excellent
'Indigocrisp' [™]	Low	Mid	4/6	Mid/late	18		248	11.9	0.22	Excellent
'Jewel'	High	Mid/early	7/8	Mid	17	9	180	11.1	0.47	Good
'Keecrisp' [™] *	Med	Mid/late	*/4	Mid/late	18		265	12.1	0.24	Excellent
'Kestrel' [™]	Med-High	Early	6/5	Early	17	8	204	11.9	0.66	Excellent
'Magnus' *	Med	Early	*/5	Early	18		211	10.6	0.55	
'Meadowlark' [™]	High	Early	7/8	Mid/early	18	8	252	10.6	0.34	Excellent
'Optimus' *	High	Mid/early	7/7	Mid/early	16		236	12.3	0.32	
'Patrecia' *		Mid/late	5/9	Mid/late	20		230	10.5	0.40	Medium
'Primadonna'	High	Mid/early	6/6	Early	17	8	217	12.1	0.24	Excellent
'Sentinel'	High	Early	9/9	Early	17	9	208	11.1	0.52	
'Snowchaser'	Med	Early	6/7	Very early	15	8	197	10.4	0.46	Good
'Springhigh'	High	Early	7/8	Early	17	8	200	10.2	0.45	Soft in hot weather
'Sweetcrisp'	High	Mid	3/5	Mid	17	9	276	13.8	0.40	Excellent

Corossus	High	Mid/late	5/8	Mid/early	19	9	267	12.3	0.78	Excellent
'Emerald'	Med-High	Mid/early	9/9	Mid/late	18	9	195	11.2	0.52	Good
'Endura' [™]	Med	Mid/early	8/6	Mid/late	19		250	10.2	0.68	Good
'Farthing'	Med-Low	Mid/late	7/8	Mid/late	18	9	227	11.8	0.47	Excellent
'Indigocrisp' [™]	Low	Mid	4/6	Mid/late	18		248	11.9	0.22	Excellent
'Jewel'	High	Mid/early	7/8	Mid	17	9	180	11.1	0.47	Good
'Keecrisp' [™] *	Med	Mid/late	*/4	Mid/late	18		265	12.1	0.24	Excellent
'Kestrel' [™]	Med-High	Early	6/5	Early	17	8	204	11.9	0.66	Excellent
'Magnus' *	Med	Early	*/5	Early	18		211	10.6	0.55	
'Meadowlark' [™]	High	Early	7/8	Mid/early	18	8	252	10.6	0.34	Excellent
'Optimus' *	High	Mid/early	7/7	Mid/early	16		236	12.3	0.32	
'Patrecia' *		Mid/late	5/9	Mid/late	20		230	10.5	0.40	Medium
'Primadonna'	High	Mid/early	6/6	Early	17	8	217	12.1	0.24	Excellent
'Sentinel'	High	Early	9/9	Early	17	9	208	11.1	0.52	
'Snowchaser'	Med	Early	6/7	Very early	15	8	197	10.4	0.46	Good
'Springhigh'	High	Early	7/8	Early	17	8	200	10.2	0.45	Soft in hot weather
'Sweetcrisp'	High	Mid	3/5	Mid	17	9	276	13.8	0.40	Excellent

Corossus	High	Mid/late	5/8	Mid/early	19	9	267	12.3	0.78	Excellent
'Emerald'	Med-High	Mid/early	9/9	Mid/late	18	9	195	11.2	0.52	Good
'Endura' [™]	Med	Mid/early	8/6	Mid/late	19		250	10.2	0.68	Good
'Farthing'	Med-Low	Mid/late	7/8	Mid/late	18	9	227	11.8	0.47	Excellent
'Indigocrisp' [™]	Low	Mid	4/6	Mid/late	18		248	11.9	0.22	Excellent
'Jewel'	High	Mid/early	7/8	Mid	17	9	180	11.1	0.47	Good
'Keecrisp' [™] *	Med	Mid/late	*/4	Mid/late	18		265	12.1	0.24	Excellent
'Kestrel' [™]	Med-High	Early	6/5	Early	17	8	204	11.9	0.66	Excellent
'Magnus' *	Med	Early	*/5	Early	18		211	10.6	0.55	
'Meadowlark' [™]	High	Early	7/8	Mid/early	18	8	252	10.6	0.34	Excellent
'Optimus' *	High	Mid/early	7/7	Mid/early	16		236	12.3	0.32	
'Patrecia' *		Mid/late	5/9	Mid/late	20		230	10.5	0.40	Medium
'Primadonna'	High	Mid/early	6/6	Early	17	8	217	12.1	0.24	Excellent
'Sentinel'	High	Early	9/9	Early	17	9	208	11.1	0.52	
'Snowchaser'	Med	Early	6/7	Very early	15	8	197	10.4	0.46	Good
'Springhigh'	High	Early	7/8	Early	17	8	200	10.2	0.45	Soft in hot weather
'Sweetcrisp'	High	Mid	3/5	Mid	17	9	276	13.8	0.40	Excellent

Corossus	High	Mid/late	5/8	Mid/early	19	9	267	12.3	0.78	Excellent
'Emerald'	Med-High	Mid/early	9/9	Mid/late	18	9	195	11.2	0.52	Good
'Endura' [™]	Med	Mid/early	8/6	Mid/late	19		250	10.2	0.68	Good
'Farthing'	Med-Low	Mid/late	7/8	Mid/late	18	9	227	11.8	0.47	Excellent
'Indigocrisp' [™]	Low	Mid	4/6	Mid/late	18		248	11.9	0.22	Excellent
'Jewel'	High	Mid/early	7/8	Mid	17	9	180	11.1	0.47	Good
'Keecrisp' [™] *	Med	Mid/late	*/4	Mid/late	18		265	12.1	0.24	Excellent
'Kestrel' [™]	Med-High	Early	6/5	Early	17	8	204	11.9	0.66	Excellent
'Magnus' *	Med	Early	*/5	Early	18		211	10.6	0.55	
'Meadowlark' [™]	High	Early	7/8	Mid/early	18	8	252	10.6	0.34	Excellent
'Optimus' *	High	Mid/early	7/7	Mid/early	16		236	12.3	0.32	
'Patrecia' *		Mid/late	5/9	Mid/late	20		230	10.5	0.40	Medium
'Primadonna'	High	Mid/early	6/6	Early	17	8	217	12.1	0.24	Excellent
'Sentinel'	High	Early	9/9	Early	17	9	208	11.1	0.52	
'Snowchaser'	Med	Early	6/7	Very early	15	8	197	10.4	0.46	Good
'Springhigh'	High	Early	7/8	Early	17	8	200	10.2	0.45	Soft in hot weather
'Sweetcrisp'	High	Mid	3/5	Mid	17	9	276	13.8	0.40	Excellent

Corossus	High	Mid/late	5/8	Mid/early	19	9	267	12.3	0.78	Excellent
'Emerald'	Med-High	Mid/early	9/9	Mid/late	18	9	195	11.2	0.52	Good
'Endura' [™]	Med	Mid/early	8/6	Mid/late	19		250	10.2	0.68	Good
'Farthing'	Med-Low	Mid/late	7/8	Mid/late	18	9	227	11.8	0.47	Excellent
'Indigocrisp' [™]	Low	Mid	4/6	Mid/late	18		248	11.9	0.22	Excellent
'Jewel'	High	Mid/early	7/8	Mid	17	9	180	11.1	0.47	Good
'Keecrisp' [™] *	Med	Mid/late	*/4	Mid/late	18		265	12.1	0.24	Excellent
'Kestrel' [™]	Med-High	Early	6/5	Early	17	8	204	11.9	0.66	Excellent
'Magnus' *	Med	Early	*/5	Early	18		211	10.6	0.55	
'Meadowlark' [™]	High	Early	7/8	Mid/early	18	8	252	10.6	0.34	Excellent
'Optimus' *	High	Mid/early	7/7	Mid/early	16		236	12.3	0.32	
'Patrecia' *		Mid/late	5/9	Mid/late	20		230	10.5	0.40	Medium
'Primadonna'	High	Mid/early	6/6	Early	17	8	217	12.1	0.24	Excellent
'Sentinel'	High	Early	9/9	Early	17	9	208	11.1	0.52	
'Snowchaser'	Med	Early	6/7	Very early	15	8	197	10.4	0.46	Good
'Springhigh'	High	Early	7/8	Early	17	8	200	10.2	0.45	Soft in hot weather
'Sweetcrisp'	High	Mid	3/5	Mid	17	9	276	13.8	0.40	Excellent

Corossus	High	Mid/late	5/8	Mid/early	19	9	267	12.5	0.78	Excellent
'Emerald'	Med-High	Mid/early	9/9	Mid/late	18	9	195	11.2	0.52	Good
'Endura' [™]	Med	Mid/early	8/6	Mid/late	19		250	10.2	0.68	Good
'Farthing'	Med-Low	Mid/late	7/8	Mid/late	18	9	227	11.8	0.47	Excellent
'Indigocrisp' [™]	Low	Mid	4/6	Mid/late	18		248	11.9	0.22	Excellent
'Jewel'	High	Mid/early	7/8	Mid	17	9	180	11.1	0.47	Good
'Keecrisp' [™] *	Med	Mid/late	*/4	Mid/late	18		265	12.1	0.24	Excellent
'Kestrel' [™]	Med-High	Early	6/5	Early	17	8	204	11.9	0.66	Excellent
'Magnus' *	Med	Early	*/5	Early	18		211	10.6	0.55	
'Meadowlark' [™]	High	Early	7/8	Mid/early	18	8	252	10.6	0.34	Excellent
'Optimus' *	High	Mid/early	7/7	Mid/early	16		236	12.3	0.32	
'Patrecia' *		Mid/late	5/9	Mid/late	20		230	10.5	0.40	Medium
'Primadonna'	High	Mid/early	6/6	Early	17	8	217	12.1	0.24	Excellent
'Sentinel'	High	Early	9/9	Early	17	9	208	11.1	0.52	
'Snowchaser'	Med	Early	6/7	Very early	15	8	197	10.4	0.46	Good
'Springhigh'	High	Early	7/8	Early	17	8	200	10.2	0.45	Soft in hot weather
'Sweetcrisp'	High	Mid	3/5	Mid	17	9	276	13.8	0.40	Excellent

Corossus	High	Mid/late	5/8	Mid/early	19	9	287	12.5	0.78	Excellent
'Emerald'	Med-High	Mid/early	9/9	Mid/late	18	9	195	11.2	0.52	Good
'Endura'[™]	Med	Mid/early	8/6	Mid/late	19		250	10.2	0.68	Good
'Farthing'	Med-Low	Mid/late	7/8	Mid/late	18	9	227	11.8	0.47	Excellent
'Indigocrisp'[™]	Low	Mid	4/6	Mid/late	18		248	11.9	0.22	Excellent
'Jewel'	High	Mid/early	7/8	Mid	17	9	180	11.1	0.47	Good
'Keecrisp'[™] *	Med	Mid/late	*/4	Mid/late	18		265	12.1	0.24	Excellent
'Kestrel'[™]	Med-High	Early	6/5	Early	17	8	204	11.9	0.66	Excellent
'Magnus' *	Med	Early	*/5	Early	18		211	10.6	0.55	
'Meadowlark'[™]	High	Early	7/8	Mid/early	18	8	252	10.6	0.34	Excellent
'Optimus' *	High	Mid/early	7/7	Mid/early	16		236	12.3	0.32	
'Patrecia' *		Mid/late	5/9	Mid/late	20		230	10.5	0.40	Medium
'Primadonna'	High	Mid/early	6/6	Early	17	8	217	12.1	0.24	Excellent
'Sentinel'	High	Early	9/9	Early	17	9	208	11.1	0.52	
'Snowchaser'	Med	Early	6/7	Very early	15	8	197	10.4	0.46	Good
'Springhigh'	High	Early	7/8	Early	17	8	200	10.2	0.45	Soft in hot weather
'Sweetcrisp'	High	Mid	3/5	Mid	17	9	276	13.8	0.40	Excellent

Corossus	High	Mid/late	5/8	Mid/early	19	9	287	12.5	0.78	Excellent
'Emerald'	Med-High	Mid/early	9/9	Mid/late	18	9	195	11.2	0.52	Good
'Endura' [™]	Med	Mid/early	8/6	Mid/late	19		250	10.2	0.68	Good
'Farthing'	Med-Low	Mid/late	7/8	Mid/late	18	9	227	11.8	0.47	Excellent
'Indigocrisp' [™]	Low	Mid	4/6	Mid/late	18		248	11.9	0.22	Excellent
'Jewel'	High	Mid/early	7/8	Mid	17	9	180	11.1	0.47	Good
'Keecrisp' [™] *	Med	Mid/late	*/4	Mid/late	18		265	12.1	0.24	Excellent
'Kestrel' [™]	Med-High	Early	6/5	Early	17	8	204	11.9	0.66	Excellent
'Magnus' *	Med	Early	*/5	Early	18		211	10.6	0.55	
'Meadowlark' [™]	High	Early	7/8	Mid/early	18	8	252	10.6	0.34	Excellent
'Optimus' *	High	Mid/early	7/7	Mid/early	16		236	12.3	0.32	
'Patrecia' *		Mid/late	5/9	Mid/late	20		230	10.5	0.40	Medium
'Primadonna'	High	Mid/early	6/6	Early	17	8	217	12.1	0.24	Excellent
'Sentinel'	High	Early	9/9	Early	17	9	208	11.1	0.52	
'Snowchaser'	Med	Early	6/7	Very early	15	8	197	10.4	0.46	Good
'Springhigh'	High	Early	7/8	Early	17	8	200	10.2	0.45	Soft in hot weather
'Sweetcrisp'	High	Mid	3/5	Mid	17	9	276	13.8	0.40	Excellent

Corossus	High	Mid/late	5/8	Mid/early	19	9	267	12.3	0.78	Excellent
'Emerald'	Med-High	Mid/early	9/9	Mid/late	18	9	195	11.2	0.52	Good
'Endura' [™]	Med	Mid/early	8/6	Mid/late	19		250	10.2	0.68	Good
'Farthing'	Med-Low	Mid/late	7/8	Mid/late	18	9	227	11.8	0.47	Excellent
'Indigocrisp' [™]	Low	Mid	4/6	Mid/late	18		248	11.9	0.22	Excellent
'Jewel'	High	Mid/early	7/8	Mid	17	9	180	11.1	0.47	Good
'Keecrisp' [™] *	Med	Mid/late	*/4	Mid/late	18		265	12.1	0.24	Excellent
'Kestrel' [™]	Med-High	Early	6/5	Early	17	8	204	11.9	0.66	Excellent
'Magnus' *	Med	Early	*/5	Early	18		211	10.6	0.55	
'Meadowlark' [™]	High	Early	7/8	Mid/early	18	8	252	10.6	0.34	Excellent
'Optimus' *	High	Mid/early	7/7	Mid/early	16		236	12.3	0.32	
'Patrecia' *		Mid/late	5/9	Mid/late	20		230	10.5	0.40	Medium
'Primadonna'	High	Mid/early	6/6	Early	17	8	217	12.1	0.24	Excellent
'Sentinel'	High	Early	9/9	Early	17	9	208	11.1	0.52	
'Snowchaser'	Med	Early	6/7	Very early	15	8	197	10.4	0.46	Good
'Springhigh'	High	Early	7/8	Early	17	8	200	10.2	0.45	Soft in hot weather
'Sweetcrisp'	High	Mid	3/5	Mid	17	9	276	13.8	0.40	Excellent

Corossus	High	Mid/late	5/8	Mid/early	19	9	267	12.5	0.78	Excellent
'Emerald'	Med-High	Mid/early	9/9	Mid/late	18	9	195	11.2	0.52	Good
'Endura' [™]	Med	Mid/early	8/6	Mid/late	19		250	10.2	0.68	Good
'Farthing'	Med-Low	Mid/late	7/8	Mid/late	18	9	227	11.8	0.47	Excellent
'Indigocrisp' [™]	Low	Mid	4/6	Mid/late	18		248	11.9	0.22	Excellent
'Jewel'	High	Mid/early	7/8	Mid	17	9	180	11.1	0.47	Good
'Keecrisp' [™] *	Med	Mid/late	*/4	Mid/late	18		265	12.1	0.24	Excellent
'Kestrel' [™]	Med-High	Early	6/5	Early	17	8	204	11.9	0.66	Excellent
'Magnus' *	Med	Early	*/5	Early	18		211	10.6	0.55	
'Meadowlark' [™]	High	Early	7/8	Mid/early	18	8	252	10.6	0.34	Excellent
'Optimus' *	High	Mid/early	7/7	Mid/early	16		236	12.3	0.32	
'Patrecia' *		Mid/late	5/9	Mid/late	20		230	10.5	0.40	Medium
'Primadonna'	High	Mid/early	6/6	Early	17	8	217	12.1	0.24	Excellent
'Sentinel'	High	Early	9/9	Early	17	9	208	11.1	0.52	
'Snowchaser'	Med	Early	6/7	Very early	15	8	197	10.4	0.46	Good
'Springhigh'	High	Early	7/8	Early	17	8	200	10.2	0.45	Soft in hot weather
'Sweetcrisp'	High	Mid	3/5	Mid	17	9	276	13.8	0.40	Excellent

Corossus	High	Mid/late	5/8	Mid/early	19	9	267	12.3	0.78	Excellent
'Emerald'	Med-High	Mid/early	9/9	Mid/late	18	9	195	11.2	0.52	Good
'Endura' [™]	Med	Mid/early	8/6	Mid/late	19		250	10.2	0.68	Good
'Farthing'	Med-Low	Mid/late	7/8	Mid/late	18	9	227	11.8	0.47	Excellent
'Indigocrisp' [™]	Low	Mid	4/6	Mid/late	18		248	11.9	0.22	Excellent
'Jewel'	High	Mid/early	7/8	Mid	17	9	180	11.1	0.47	Good
'Keecrisp' [™] *	Med	Mid/late	*/4	Mid/late	18		265	12.1	0.24	Excellent
'Kestrel' [™]	Med-High	Early	6/5	Early	17	8	204	11.9	0.66	Excellent
'Magnus' *	Med	Early	*/5	Early	18		211	10.6	0.55	
'Meadowlark' [™]	High	Early	7/8	Mid/early	18	8	252	10.6	0.34	Excellent
'Optimus' *	High	Mid/early	7/7	Mid/early	16		236	12.3	0.32	
'Patrecia' *		Mid/late	5/9	Mid/late	20		230	10.5	0.40	Medium
'Primadonna'	High	Mid/early	6/6	Early	17	8	217	12.1	0.24	Excellent
'Sentinel'	High	Early	9/9	Early	17	9	208	11.1	0.52	
'Snowchaser'	Med	Early	6/7	Very early	15	8	197	10.4	0.46	Good
'Springhigh'	High	Early	7/8	Early	17	8	200	10.2	0.45	Soft in hot weather
'Sweetcrisp'	High	Mid	3/5	Mid	17	9	276	13.8	0.40	Excellent

Corossus	High	Mid/late	5/8	Mid/early	19	9	267	12.3	0.78	Excellent
'Emerald'	Med-High	Mid/early	9/9	Mid/late	18	9	195	11.2	0.52	Good
'Endura'[™]	Med	Mid/early	8/6	Mid/late	19		250	10.2	0.68	Good
'Farthing'	Med-Low	Mid/late	7/8	Mid/late	18	9	227	11.8	0.47	Excellent
'Indigocrisp'[™]	Low	Mid	4/6	Mid/late	18		248	11.9	0.22	Excellent
'Jewel'	High	Mid/early	7/8	Mid	17	9	180	11.1	0.47	Good
'Keecrisp'[™] *	Med	Mid/late	*/4	Mid/late	18		265	12.1	0.24	Excellent
'Kestrel'[™]	Med-High	Early	6/5	Early	17	8	204	11.9	0.66	Excellent
'Magnus' *	Med	Early	*/5	Early	18		211	10.6	0.55	
'Meadowlark'[™]	High	Early	7/8	Mid/early	18	8	252	10.6	0.34	Excellent
'Optimus' *	High	Mid/early	7/7	Mid/early	16		236	12.3	0.32	
'Patrecia' *		Mid/late	5/9	Mid/late	20		230	10.5	0.40	Medium
'Primadonna'	High	Mid/early	6/6	Early	17	8	217	12.1	0.24	Excellent
'Sentinel'	High	Early	9/9	Early	17	9	208	11.1	0.52	
'Snowchaser'	Med	Early	6/7	Very early	15	8	197	10.4	0.46	Good
'Springhigh'	High	Early	7/8	Early	17	8	200	10.2	0.45	Soft in hot weather
'Sweetcrisp'	High	Mid	3/5	Mid	17	9	276	13.8	0.40	Excellent

Cultivar	Vigor	Flowering	Yield Potential	Harvest	Season	Size (mm)	Seeds	Firmness (g/mm)	Brix	TA	Shelf Life
Corossus	High	Mid/late	5/8	Mid/early	19	9	287	12.3	0.78	Excellent	
'Emerald'	Med-High	Mid/early	9/9	Mid/late	18	9	195	11.2	0.52	Good	
'Endura' [™]	Med	Mid/early	8/6	Mid/late	19		250	10.2	0.68	Good	
'Farthing'	Med-Low	Mid/late	7/8	Mid/late	18	9	227	11.8	0.47	Excellent	
'Indigocrisp' [™]	Low	Mid	4/6	Mid/late	18		248	11.9	0.22	Excellent	
'Jewel'	High	Mid/early	7/8	Mid	17	9	180	11.1	0.47	Good	
'Keecrisp' [™] *	Med	Mid/late	*/4	Mid/late	18		265	12.1	0.24	Excellent	
'Kestrel' [™]	Med-High	Early	6/5	Early	17	8	204	11.9	0.66	Excellent	
'Magnus' *	Med	Early	*/5	Early	18		211	10.6	0.55		
'Meadowlark' [™]	High	Early	7/8	Mid/early	18	8	252	10.6	0.34	Excellent	
'Optimus' *	High	Mid/early	7/7	Mid/early	16		236	12.3	0.32		
'Patrecia' *		Mid/late	5/9	Mid/late	20		230	10.5	0.40	Medium	
'Primadonna' Cultivar	High	Mid/early	6/6	Early	17	8	217	12.1	0.24	Excellent	
'Sentinel'	High	Early	6/9	Early	17	8	208	11.7	0.52	Shelf Life	
'Snowchaser'	Med	Early	6/7	Very early	15	8	197	10.4	0.46	Good	
'Springhigh'	High	Early	7/8	Early	17	8	200	10.2	0.45	Soft in hot weather	
'Sweetcrisp'	High	Mid	3/5	Mid	17	9	276	13.8	0.40	Excellent	

Corossus	High	Mid/late	5/8	Mid/early	19	9	267	12.3	0.78	Excellent
'Emerald'	Med-High	Mid/early	9/9	Mid/late	18	9	195	11.2	0.52	Good
'Endura' [™]	Med	Mid/early	8/6	Mid/late	19		250	10.2	0.68	Good
'Farthing'	Med-Low	Mid/late	7/8	Mid/late	18	9	227	11.8	0.47	Excellent
'Indigocrisp' [™]	Low	Mid	4/6	Mid/late	18		248	11.9	0.22	Excellent
'Jewel'	High	Mid/early	7/8	Mid	17	9	180	11.1	0.47	Good
'Keecrisp' [™] *	Med	Mid/late	*/4	Mid/late	18		265	12.1	0.24	Excellent
'Kestrel' [™]	Med-High	Early	6/5	Early	17	8	204	11.9	0.66	Excellent
'Magnus' *	Med	Early	*/5	Early	18		211	10.6	0.55	
'Meadowlark' [™]	High	Early	7/8	Mid/early	18	8	252	10.6	0.34	Excellent
'Optimus' *	High	Mid/early	7/7	Mid/early	16		236	12.3	0.32	
'Patrecia' *		Mid/late	5/9	Mid/late	20		230	10.5	0.40	Medium
'Primadonna'	High	Mid/early	6/6	Early	17	8	217	12.1	0.24	Excellent
'Sentinel'	High	Early	9/9	Early	17	9	208	11.1	0.52	
'Snowchaser'	Med	Early	6/7	Very early	15	8	197	10.4	0.46	Good
'Springhigh'	High	Early	7/8	Early	17	8	200	10.2	0.45	Soft in hot weather
'Sweetcrisp'	High	Mid	3/5	Mid	17	9	276	13.8	0.40	Excellent

Corossus	High	Mid/late	5/8	Mid/early	19	9	267	12.3	0.78	Excellent
'Emerald'	Med-High	Mid/early	9/9	Mid/late	18	9	195	11.2	0.52	Good
'Endura' [™]	Med	Mid/early	8/6	Mid/late	19		250	10.2	0.68	Good
'Farthing'	Med-Low	Mid/late	7/8	Mid/late	18	9	227	11.8	0.47	Excellent
'Indigocrisp' [™]	Low	Mid	4/6	Mid/late	18		248	11.9	0.22	Excellent
'Jewel'	High	Mid/early	7/8	Mid	17	9	180	11.1	0.47	Good
'Keecrisp' [™] *	Med	Mid/late	*/4	Mid/late	18		265	12.1	0.24	Excellent
'Kestrel' [™]	Med-High	Early	6/5	Early	17	8	204	11.9	0.66	Excellent
'Magnus' *	Med	Early	*/5	Early	18		211	10.6	0.55	
'Meadowlark' [™]	High	Early	7/8	Mid/early	18	8	252	10.6	0.34	Excellent
'Optimus' *	High	Mid/early	7/7	Mid/early	16		236	12.3	0.32	
'Patrecia' *		Mid/late	5/9	Mid/late	20		230	10.5	0.40	Medium
'Primadonna'	High	Mid/early	6/6	Early	17	8	217	12.1	0.24	Excellent
'Sentinel'	High	Early	9/9	Early	17	9	208	11.1	0.52	
'Snowchaser'	Med	Early	6/7	Very early	15	8	197	10.4	0.46	Good
'Springhigh'	High	Early	7/8	Early	17	8	200	10.2	0.45	Soft in hot weather
'Sweetcrisp'	High	Mid	3/5	Mid	17	9	276	13.8	0.40	Excellent